

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Monday, March 01, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L22	L14 and (ims same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	20
<input type="checkbox"/>	L21	L14 and (directive\$ same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	1
<input type="checkbox"/>	L20	L14 and (key\$ near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	11
<input type="checkbox"/>	L19	L14 and (IBM near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	5
<input type="checkbox"/>	L18	L14 and ((root\$ or node\$ or leaf\$ or level\$) near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	7
<input type="checkbox"/>	L17	L14 and ((select\$ adj1 criteria) near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	3
<input type="checkbox"/>	L16	L14 and ((select\$ adj1 criterion) near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	0
<input type="checkbox"/>	L15	L14 and ((read\$ or writ\$) near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	13
<input type="checkbox"/>	L14	L11 and ((map\$ or director\$ or pointer\$) same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	78
<input type="checkbox"/>	L13	L11 and ((map\$ or director\$ or pointer\$) same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	78
<input type="checkbox"/>	L12	L10 and ((map\$ or director\$ or pointer\$) same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	127
<input type="checkbox"/>	L11	L10 and ((index\$ or indice\$ or segment\$) same (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	101
<input type="checkbox"/>	L10	(L1 or L8 or L9) and (hierarch\$ adj1 (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	181
<input type="checkbox"/>	L9	(707/1 707/2 707/3).ccls.	4248
<input type="checkbox"/>	L8	(707/100).ccls.	1400
<input type="checkbox"/>	L7	L6 and file\$	7
<input type="checkbox"/>	L6	(L3 or L4 or L5) and (read\$ near (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$))	8
<input type="checkbox"/>	L5	L2 and (hierarchical adj1 (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$)).ab.	13
<input type="checkbox"/>	L4	L2 and (hierarchical adj1 (database\$ or (data adj1 base\$) or (data adj1 bank\$) or databank\$)).ti.	7
		L2 and (hierarchical adj1 (database\$ or (data adj1 base\$) or (data adj1 bank\$) or	

10/ 053,442

h e b b cg b chh e g c f c e c e

☐ L3 databank\$))

53

(L1).pn. (6336105 6338050 5442779 6330686 6401103 6571270 6606631
6473851 6381605 5966695 6253213 6463431 6662199 6169992 6092086
5559692 5761655 6122572 6003039 6023565 6118938 5630125 5664172
5844554 5963910 6061056 6115691 6300948 6324672 6035307 6175803
5265244 5226143 5761671 5765161 5765162 5765163 5778379 5778358
5781907 5787436 5794248 5794247 5799313 6078927 6226641 6226641
5995971 6014647 6041053).pn. (6236409 6237114 6278999 5842213 6272495
6278992 5933837 6285378 6393426 5940804 6370144 5319543 6055513
6253193 6317700 6332135 6363488 6389402 6427140 6070167 6256676
5483652 5513119 5721913 5819245 5673312 5687366 5812416 5903475
5768581 5812134 5905988 5987452 5995979 6014660 6199161 6252544
6429812 5826265 5878408 5920873 5950201 6088693 6094654 5696693
6505205 5838830 5455945 5530848 5790121).pn. (5838965 5842197 6025843
6032145 6044264 6122645 6125371 6243094 6279007 6476212 5351247
5388257 5418971 5432930 5467471 5530829 5544360 5664174 5737593

☐ L2

297

5758335 5878413 5878412 5930789 5930764 6021224 6141445 6175829
6199074 6311179 6366922 6618727 5506984 6065018 6265636 6313375
6313376 6361985 6388169 6392126 6403860 6416988 6429302 6476209
5855013 5241682 5712788 5787415 5889991 5895467 6243749).pn. (6308171
6397197 6502088 6363294 5469361 6009251 6453242 6395889 5222235
5555409 5577239 5761499 5950192 6067540 6105033 6141656 6195656
6266662 6304869 5452449 5706224 6279018 6381607 6421681 5940825
4862392 4967375 5374925 5513306 5572640 5627987 5767854 5781772
5828579 5890189 5910803 6002857 6014659 6169987 6560620 5418947
5819282 5832452 6161113 5960164 6461816 5220511 5388259 5645994
5724525).pn. (5787417 5842218 5856931 5892945 5893090 5956721 5961332
6006223 6049799 6134545 6185568 6212529 6212529 6240411 6278993
6326962 4764867 5257185 5442786 5574780 5752253 5784539 6078913
6185573 6317726 5544354 5826076 6282539 4805099 5191578 5191650
5325091 5428735 5509110 5634051 5675545 5694594 5721910 5878415
5884311 5894311 5950193 5956637 5995999 6076092 6128619 6154739
6233581 6240428 6253188).pn.

☐

L1

495

(6606640 6622142 6292830 6418443 6633884 5511186 5881379 5933820
6691121 5761667 6287765 5991761 5794242 5564050 5544325 6436703
6470344 6219551 6219551 6141660 6192369 6202069 5884298 5519619
5983220 5623657 6421613 5636245 6381324 5983235 6081808 6185572
5515283 5596744 5530855 5640561 5761494 5870751 5974418 6253200
6360229 6421661 6430571 6529914 6539397 6539398 4908759 6470287
6389031 5873087)

END OF SEARCH HISTORY



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [hierarchy database and segments and root and directive and read and write]

Found 3 of 127,944 searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 3 of 3 **short listing**

1 Concurrency control issues in nested transactions 80%



Theo Härder , Kurt Rothermel

The VLDB Journal — The International Journal on Very Large Data Bases January 1993

Volume 2 Issue 1

The concept of nested transactions offers more decomposable execution units and finer-grained control over concurrency and recovery than "flat" transactions. Furthermore, it supports the decomposition of a "unit of work" into subtasks and their appropriate distribution in a computer system as a prerequisite of intratransaction parallelism. However, to exploit its full potential, suitable granules of concurrency control as well as access modes for shared data are necessary. In this article, we in ...

2 Poster session: Knowledge discovery from texts: a concept frame graph approach 77%



Kanagasabai Rajaraman , Ah-Hwee Tan

Proceedings of the eleventh international conference on Information and knowledge management November 2002

We address the text content mining problem through a concept based framework by constructing a conceptual knowledge base and discovering knowledge therefrom. Defining a novel representation called the Concept Frame Graph (CFG), we propose a learning algorithm for constructing a CFG knowledge base from text documents. An interactive concept map visualization technique is presented for user-guided knowledge discovery from the knowledge base. Through experimental studies on real life documents, we ...

3 Profiling in an object-oriented design environment that supports Ada 9X and Ada 83 code generation 77%



K. El Guemhioui , Steven A. Demurjian , T. J. Peters , H. J. C. Ellis

Proceedings of the conference on TRI-Ada '94 November 1994

10/053,442

Object-oriented techniques for design and development have taken a strong hold in academia, industry, and government. Our efforts in this area have been in the development of the object-oriented design environment, ADAM, that is programming-language independent and generates compilable code in Ada 83, Ada 9X, C++, and Ontos C++. A key aspect of ADAM, short for Active Design and Analyses Modeling, is the requirement that software engineers supply profiles when defining the ...

Results 1 - 3 of 3 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [hierarchy database and segments and root and selection and read and write]

Found 2 of 127,944 searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 2 of 2 **short listing**

1 Concurrency control issues in nested transactions 80%



Theo Härder , Kurt Rothermel

The VLDB Journal — The International Journal on Very Large Data Bases January 1993

Volume 2 Issue 1

The concept of nested transactions offers more decomposable execution units and finer-grained control over concurrency and recovery than "flat" transactions. Furthermore, it supports the decomposition of a "unit of work" into subtasks and their appropriate distribution in a computer system as a prerequisite of intratransaction parallelism. However, to exploit its full potential, suitable granules of concurrency control as well as access modes for shared data are necessary. In this article, we in ...

2 Profiling in an object-oriented design environment that supports Ada 9X and Ada 83 code generation 77%



K. El Guemhioui , Steven A. Demurjian , T. J. Peters , H. J. C. Ellis

Proceedings of the conference on TRI-Ada '94 November 1994

Object-oriented techniques for design and development have taken a strong hold in academia, industry, and government. Our efforts in this area have been in the development of the object-oriented design environment, ADAM, that is programming-language independent and generates compilable code in Ada 83, Ada 9X, C++, and Ontos C++. A key aspect of ADAM, short for Active Design and Analyses Modeling, is the requirement that software engineers supply profiles when defining the ...

Results 1 - 2 of 2 **short listing**

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.